

USA / Europe

High Security Industrial / Government Key Box

Knox-Box® — 3200 Series
Hinged Door Model

The number one high-security KNOX-BOX® is used for most commercial applications including businesses, schools, government and public buildings, community associations and apartment complexes. The 3200 Series KNOX-BOX® holds keys, access cards and other small items necessary for emergency access. The hinged-door 3200 Series KNOX-BOX® is more convenient than the lift-off door version because it allows single-handed operation and opened or closed, it's all one unit.



Surface Mount



Recessed Mount with Face Flange



Features and Benefits


- Holds up to 10 keys or 3 access cards in interior compartment
- Ensures high security with UL® Listed Medeco lock
- Includes a Knox-Coat® proprietary finishing process that protects Knox products up to four times better than standard powder coat
- Resists moist conditions with a weather resistant door gasket
- Hinged door allows single-handed operation
- Colors: Black, Dark Bronze or Aluminum
- Weight: Surface mount – 8 lbs. (3.632 kg)
Recessed mount – 9 lbs. (4.086 kg)

Options


- Alarm tamper switches (UL Listed)
- Additional rust and corrosion protection (Aluminization)
- Recessed Mounting Kit (RMK) for recessed models only




KNOX
Serving Fire Departments Since 1975



3200 Series Hinged Door Model — Mounting Diagram



Inside View



Attention: KNOX-BOX® key box is a very strong device that MUST be mounted properly to ensure maximum security and resist physical attack.

Knox® Rapid Entry System

The Knox Company manufactures a complete line of high security products including Knox-Box® key boxes, key vaults, cabinets, key switches, padlocks, locking FDC caps and electronic master key security systems.

For more information or technical assistance, please call our office — and/or see informations in [Document No. 2028](#)

Recessed Mounting Kit

The 3200 Recessed Mounting Kit (RMK) is used for recessed models only. It contains a shell housing and mounting hardware to be cast-in-place in new concrete or masonry construction. After construction is completed, the KNOX-BOX® mounts inside the recessed shell housing. The RMK may only be used in new concrete or masonry construction.

Installation


Fasten the mounting kit to the inside wall of a concrete form or set-in-place during masonry wall construction. Connect the wiring conduit through one of several knockout holes in the shell housing.

Dimensions

(155.6 High x 152.4 Wide x 127.0 Deep)mm, including Rebar

IMPORTANT: Care should be taken to insure that the front of the RMK shell housing, including the cover plate and screw heads, is flush with the finish wall. The RMK must be plumbed to insure vertical alignment of the vault.

Recessed Mounting Using Recessed Mounting Kit (RMK)



To learn more about B-I-A please visit us at our
WEB site: www.BiaGmbH.com



KNOX-BOX®

●	Included
-	Not Included

3200 Series w/ Lift-Off Door Surface Mounted

Part #	Color	Tamper Switch	Aluminization*
3201	Black	-	-
3202	Black	●	-
3203	Black	-	●
3204	Black	●	●
3205	Aluminum	-	-
3206	Aluminum	●	-
3207	Dark Bronze	-	-
3208	Dark Bronze	●	-

Ship Wt: 10 lbs.

3200 Series w/ Lift-Off Door Recess Mounted

Part #	Color	Tamper Switch	Aluminization*
3220	Black	-	-
3221	Black	●	-
3222	Black	-	●
3223	Black	●	●
3224	Aluminum	-	-
3225	Aluminum	●	-
3226	Dark Bronze	-	-
3227	Dark Bronze	●	-
3240	3200 Recessed Mounting Kit		

Ship Wt: 10 lbs.

3200 Series w/ Hinged Door Surface Mounted

Part #	Color	Tamper Switch	Aluminization*
3261	Black	-	-
3262	Black	●	-
3267	Black	-	●
3268	Black	●	●
3263	Aluminum	-	-
3264	Aluminum	●	-
3265	Dark Bronze	-	-
3266	Dark Bronze	●	-

Ship Wt: 10 lbs.

3200 Series w/ Hinged Door Recess Mounted

Part #	Color	Tamper Switch	Aluminization*
3270	Black	-	-
3271	Black	●	-
3276	Black	-	●
3277	Black	●	●
3272	Aluminum	-	-
3273	Aluminum	●	-
3274	Dark Bronze	-	-
3275	Dark Bronze	●	-
3290	3200 Hinged Recess Mounting Kit		

Ship Wt: 10 lbs.

KNOX-VAULT™

4400 Series Surface Mounted

Part #	Color	Lock	Tamper Switch	Aluminization*
4401	Black	Single	-	-
4402	Black	Single	●	-

(4400 Series Recess Mounted continued next column.)

4400 Series Surface Mounted (Continued)

Part #	Color	Lock	Tamper Switch	Aluminization*
4403	Black	Dual	-	-
4404	Black	Dual	●	-
4405	Black	Single	-	●
4406	Black	Single	●	●
4407	Black	Dual	-	●
4408	Black	Dual	●	●
4409	Aluminum	Single	-	-
4410	Aluminum	Single	●	-
4411	Aluminum	Dual	-	-
4412	Aluminum	Dual	●	-
4413	Dark Bronze	Single	-	-
4414	Dark Bronze	Single	●	-
4415	Dark Bronze	Dual	-	-
4416	Dark Bronze	Dual	●	-

Ship Wt: 29 lbs.

4400 Series Recess Mounted

Part #	Color	Lock	Tamper Switch	Aluminization*
4430	Black	Single	-	-
4431	Black	Single	●	-
4432	Black	Dual	-	-
4433	Black	Dual	●	-
4434	Black	Single	-	●
4435	Black	Single	●	●
4436	Black	Dual	-	●
4437	Black	Dual	●	●
4439	Aluminum	Single	-	-
4440	Aluminum	Single	●	-
4441	Aluminum	Dual	-	-
4442	Aluminum	Dual	●	-
4443	Dark Bronze	Single	-	-
4444	Dark Bronze	Single	●	-
4445	Dark Bronze	Dual	-	-
4446	Dark Bronze	Dual	●	-
4470	4400 Recessed Mounting Kit			

Ship Wt: 29 lbs.

KNOX® EMS DRUG VAULT

4480 Series Surface Mounted

4480	Single Lock Surface 6" Deep Aluminum
4481	Dual Lock Surface 6" Deep Aluminum
4482	Single Lock Surface 8" Deep Aluminum
4483	Dual Lock Surface 8" Deep Aluminum

4480 Series Recess Mounted

4485	Single Lock Recessed 6" Deep Aluminum
4486	Dual Lock Recessed 6" Deep Aluminum
4487	Single Lock Recessed 8" Deep Aluminum
4488	Dual Lock Recessed 8" Deep Aluminum

* Additional Rust and Corrosion Protection.



KNOX® KEY SWITCH

Part # Part (includes all stainless steel dust cover)

- 3501 Key Switch
- 3502 Key Switch on Mounting Plate
- 3503 Double Key Switch on Mounting Plate

KNOX® PADLOCK

Part # Part

Exterior - All Weather Conditions

- 3753 2-1/8"H stainless shackle clearance, 3/8" diameter

Interior - Light Duty

- 3754 2"H hardened steel shackle clearance, 5/16" diameter

KNOX® RESIDENTIAL

Part # Color Part (for residential use only)

- 1650 Black Surface Mount, Lift-Off Door
- 1651 Black Surface Mount, Lift-Off Door, with Door Hanger Bracket
- 1658 Black Surface Mount, Hinged Door
- 1659 Black Surface Mount, Hinged Door, with Door Hanger Bracket

KNOX® CABINET

1300 Series - UL Listed

Part #	Color	Lock	Tamper Switch	Depth
1301	Lt. Grey	Single	—	5"
1302	Lt. Grey	Single	—	7"
1303	Lt. Grey	Single	●	5"
1304	Lt. Grey	Single	●	7"
1305	Lt. Grey	Dual	—	5"
1306	Lt. Grey	Dual	—	7"
1307	Lt. Grey	Dual	●	5"
1308	Lt. Grey	Dual	●	7"

Ship Wt: 65 lbs.

1300 Cabinet Options

Part # Part

- 1351 Back Key Hook Panel - 48 Keys
- 1352 Swing Key Hook Panel & Mounting Assembly - 78 Keys
- 1353 2nd Swing Key Hook Panel for 7" Deep Model Only (must already have mounting assembly)
- 1201 Non Locking Weather Housing/Rain Shield (for exterior cabinet protection)

1100 Series

Part #	Part	Color
1100	Data Storage Cabinet (Not for key storage)	Lt. Grey

ACCESSORIES

Part # Part

- 1001 Fire Dept. Reflective Alert Decal
- 1002 Fire Dept. Reflective Single Key Switch Decal (Red)
- 1003 Sheriff Dept. Reflective Single Key Switch Decal (Gold)
- 1004 Police Dept. Reflective Single Key Switch Decal (Blue)
- 1005 Pre-Fire Plan Reflective Decal (8" x 8")
- 1006 Key Tags (Package of 10)
- 1007 One Inch Key Rings (Package of 10)
- 1008 Tamper Seals (Package of 50)
- 1009 Tamper Evident Bags (Package of 10)

KNOX® LOCKING FDC PLUGS

Part # Part

- 3011 All stainless Steel with Bright Stainless Face
- 3010 All stainless Steel with Polished, Chrome-like Stainless Face

FDC Plugs listed are 2-1/2" male plugs with National Standard Threads. Other sizes and threads available. Call for details.

KNOX® LOCKING STORZ CAPS

Part # Part

- 3080 4" Storz Cap - Dark, Hard Anodized Aluminum
- 3090 5" Storz Cap - Dark, Hard Anodized Aluminum
- 3099 6" Storz Cap - Dark, Hard Anodized Aluminum

SENTRALOK®

Part # Part

- 3800 Encoder
- 3810 Decoder, Standard Frequency
- 3811 Decoder, F1 Frequency

KEYSECURE® MASTER KEY RETENTION

- 2610 KeySecure I Base Unit
- 2611 KeySecure I Base Unit with Mounted Blue Strobe Light
- 2620 KeySecure 2 Upgradeable Unit
- 2621 KeySecure 2 with Mounted Blue Strobe Light
- 2632 KeySecure 3 with Audit Trail
- 2633 KeySecure 3 with Mounted Blue Strobe Light
- 2690 KeySecure 3 Software with Data Cable



KNOX®
Serving Fire Departments Since 1975

* Additional Rust and Corrosion Protection.