

United Kingdom - 110V Site Equipment & Step-Down Transformers



Site Equipment



To learn more about B-I-A please visit us at our
WEB site: www.BiaGmbH.com



United Kingdom - 110 Volt Cable Reel

110 Volt Cable Reel

SPECIFICATIONS

- Power neon indicator
- Fitted with 1.5mm² 16 amp yellow cable
- Thermal cut-out prevents risk of fire due to temperature rise caused by power overload
- Robust case
- Manufactured to BS EN 61242 & BS EN 60309
- Strong zinc steel plated stand



LVCT5016/2

| Catalog No. | Description | VPE/Pack | EDP-No. |
|-------------|--|----------|---------------|
| LVCT2516/2 | 25 Metre, 16 Amp, 2 Sockets, 110 Volt Plug | 1 | 122822 |
| LVCT5016/2 | 50 Metre, 16 Amp, 2 Sockets, 110 Volt Plug | 1 | 122823 |

To learn more about B-I-A please visit us at our
 WEB site: www.BiaGmbH.com




United Kingdom - 110 Volt Handbag Reel

110 Volt Handbag Reel

SPECIFICATIONS

- Power neon indicator
- Fitted with 1.5mm² 16 amp yellow cable
- Thermal cut-out prevents risk of fire due to temperature rise caused by power overload
- Robust case
- Manufactured to BS EN 61242 & BS EN 60309



LVHBT2016/2

| Catalog No. | Description | VPE/Pack | EDP-No. |
|--------------------|--|----------|---------------|
| LVHBT2016/2 | 20 Metre, 16 Amp, 2 Sockets, 110 Volt Plug | 1 | 122824 |
| LVHLT2516/2 | 25 Metre, 16 Amp, 2 Sockets, 110 Volt Plug | 1 | 122825 |

To learn more about B-I-A please visit us at our
 WEB site: www.BiaGmbH.com



United Kingdom - 110 Volt Extension Lead

110 Volt Extension Lead

SPECIFICATIONS

- Manufactured to BS EN 60309
- Fitted with 1.5mm² 16 amp yellow cable



LVIL15

| Catalog No. | Description | VPE/Pack | EDP-No. |
|---------------|--|----------|---------------|
| LVIL15 | 15 Metre, In-line 110V plug & socket with cable tidy | 4 | 122826 |

To learn more about B-I-A please visit us at our
WEB site: www.BiaGmbH.com



United Kingdom - 110 Volt Multi-Socket Adaptor

110 Volt Multi-Socket Adaptor

SPECIFICATIONS

- Manufactured to BS EN 60309



LVMS3

| Catalog No. | Description | VPE/Pack | EDP-No. |
|--------------|---------------------------|----------|---------------|
| LVMS3 | Low voltage 3-way adaptor | 10 | 122827 |

To learn more about B-I-A please visit us at our
 WEB site: www.BiaGmbH.com



United Kingdom - 110 Volt Plug and Sockets

110 Volt Plug and Sockets

SPECIFICATIONS

- Manufactured to BS EN 60309



LVILP



LVPMS

| Catalog No. | Description | VPE/Pack | EDP-No. |
|--------------|----------------------------------|----------|---------------|
| LVILP | Low voltage in-line plug | 10 | 122828 |
| LVILS | Low voltage in-line socket | 10 | 122829 |
| LVPMS | Low voltage panel mounted socket | 10 | 122830 |

To learn more about B-I-A please visit us at our
 WEB site: www.BiaGmbH.com



United Kingdom - Site Safe Step-Down 240V / 110V Transformers

Site Safe Step-Down 240V / 110V Transformers

SPECIFICATIONS

- Units have thermal over-load protection
- Moulded 13A plug
- Tough, weatherproof enclosures, with carry handles
- Manufactured to BS3535 & BS4343



| Catalog No. | Output Power Rating, Description | VPE/Pack | EDP-No. |
|----------------|---|----------|---------------|
| TFR750 | 750VA, 1 x 16A Socket Outlet, Cable Length 1.8m | 1 | 122831 |
| TFR1500 | 1500VA, 2 x 16A Socket Outlets, Cable Length 1.8m | 1 | 122832 |
| TFR2000 | 2000VA, 2 x 16A Socket Outlets, Cable Length 1.8m | 1 | 122833 |
| TFR3300 | 3300VA, 2 x 16A Socket Outlets, Cable Length 1.8m | 1 | 122834 |

To learn more about B-I-A please visit us at our
WEB site: www.BiaGmbH.com

